

Serial No. 09/872,008
Docket No. 5-052US-FF

2

AMENDMENTS TO THE CLAIMS:

1-2. (Canceled).

3. (Previously presented) An image registration system comprising a first client device and a second client device which can communicate with a server,

wherein said first client device comprises:

first image data transmission means for transmitting to said server image data to be registered,

wherein the server comprises:

image data receiving means for receiving the image data transmitted from said first image data transmission means in said first client device;

image data generation means for generating image data representing an image which can be outputted to the second client device and representing the same image as an image represented by the image data received by said image data receiving means and including a different form of representation therefrom; and

image data storage means for storing the image data generated by said image data generation means so as to be accessible from the second client device,

wherein said second client device comprises:

request data transmission means for transmitting to said server request data representing a request to transmit the image data stored in said image data storage means, and

wherein the server further comprises:

Best Available Copy

Serial No. 09/872,008
Docket No. 5-052US-FF

3

request data receiving means for receiving the request data transmitted from the request data transmission means in the second client device;

image data retrieval means responsive to the request data received by said request data receiving means for finding from the image data storage means the image data suitable for image output to the second client device which has transmitted said request data out of the image data stored in the image data storage means in the server; and

second image data transmission means for transmitting to the second client device the image data found by said image data retrieval means.

4. (Previously presented) The image registration system according to claim 3, wherein said server further comprises:

number-of-requests counting means for incrementing the number of transmission requests issued by said second client device in response to the fact that the request data has been received by said request data receiving means,

wherein said image data generation means in the server generating image data representing the image represented by the image data received by the image data receiving means in the server and suitable for the image output to the second client device in response to the fact that the counted number by the number-of-requests counting means has reached a predetermined number.

Serial No. 09/872,008
Docket No. 5-052US-FF

4

5. (Previously presented) The image registration system according to claim 3, wherein said server comprises a first server and a second server which can communicate with said second client device,

wherein said first server comprises said image data receiving means and said request data receiving means, and

wherein said second server comprises said image data generation means, said image data storage means, and said second image data transmission means.

6. (Previously presented) The image registration system according to claim 3, wherein said server comprises a first server which can communicate with the second client device and a second server which can communicate with the first server,

wherein said first server comprises said image data receiving means, said request data receiving means, said second image data transmission means, and

wherein said second server comprises said image data generation means, said image data storage means, and said image data retrieval means.

7. (Canceled).

8. (Previously presented) An image transmission server which can communicate with a client device, comprising:

Serial No. 09/872,008
Docket No. 5-052US-FF

5

image data generation means for generating image data representing an image which can be outputted to the client device and representing the same image as an image represented by fed image data and including a different form of representation therefrom;

image data storage means for storing the image data generated by said image data generation means so as to be accessible from the client device;

request data receiving means for receiving request data representing a request to transmit the image data stored in said storage means;

image data retrieval means responsive to the request data received by said request data receiving means for finding from the storage means the image data suitable for image output to the client device which has transmitted the request data out of the image data stored in the storage means in the server; and

image data transmission means for transmitting to the client device the image data found by said image data retrieval means.

9. (Canceled).

10. (Previously presented) In an image transmission server which can communicate with a client device, an image transmitting method, comprising:

generating image data representing an image which can be outputted to the client device and representing the same image as an image represented by fed image data and including a different form of representation;

storing the generated image data so as to be accessible from the client device;

Serial No. 09/872,008
Docket No. 5-052US-FF

6

receiving request data representing a request to transmit the stored image data;
finding the image data suitable for image output to the client device which has transmitted the request data out of the stored image data in response to the receiving request data; and
transmitting to the client device the found image data.

11. (Previously presented) An image registration system comprising:

a first client device;
a second client device; and
a server in communication with at least one of said first client device and said second client device,

wherein said server comprises:

image data receiving means for receiving image data transmitted from said first client device;

image data generation means for generating image data suitable for output to said second client device and representing a same image as an image represented by said image data from said first client device received by said image data receiving means and including a different form of representation therefrom;

image data storage means for storing said image data generated by said image data generation means, wherein said image data is accessible from the second client device;

Serial No. 09/872,008
Docket No. 5-052US-FF

7

request data receiving means for receiving request data transmitted from
said second client device; and

image data retrieval means responsive to said request data from said second
client device, for retrieving said image data suitable for output to said second client device
from the image data stored in the image data storage means.

12. (Previously presented) The image registration system according to claim 11,
wherein said server further comprises:

second image data transmission means for transmitting to said second client device
said image data retrieved by said image data retrieval means.

13. (Previously presented) The image registration system according to claim 11,
wherein said image data retrieval means retrieves, from the image data storage means,
said image data suitable for output to the second client device from the image data which
is previously generated and stored in the image data storage means.

14. (Previously presented) The image registration system according to claim 13,
wherein said second image data transmission means transmits to the second client device
the previously generated and stored image data found by said image data retrieval means.

15. (Previously presented) The image registration system according to claim 11,
wherein said image data retrieval means responsive to said request data from said second

Serial No. 09/872,008
Docket No. 5-052US-FF

8

client device, retrieves said image data suitable for output to said second client device from the image data which is stored in the image data storage means prior to receiving said request data from said second client device by said request data receiving means.

16. (Previously presented) The image registration system according to claim 3, wherein said image data retrieval means finds from the image data storage means the image data suitable for image output to the second client device out of the image data which is previously generated and stored in the image data storage means.

17. (Previously presented) The image registration system according to claim 16, wherein said second image data transmission means transmits to said second client device the previously generated and stored image data found by said image data retrieval means.

18. (Previously presented) The image transmitting method according to claim 10, wherein said image data suitable for image output to the client device is generated and stored prior to said receiving request data.

19. (Previously presented) The image transmitting method according to claim 10, wherein said transmitting includes transmitting to said client device image data generated and stored prior to said receiving request data.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.